



NX 310/410 II




IN GEBRUIK





TRANSPORT



NX 310/410 II		
Afmetingen		
	Grootte (mm)	Optie(s)
A	3450	
	4550	NXL2000
	5150	NXL2500
B	1450	
	2050	NXL2000, NXL2500
C	224	
	64	NXL2000
	364	NXL2500
D	320	
E	2550	310
	2650	410
	+192	NLXDIGIFL1
F	1000	
	950	NLXDIGIFL1
G	400	310
	500	410
H	1150	
I	1320	310
	1420	410
J	860	
K	1870	310
	2070	410
	+135	NXL2000, NXL2500



NX 310/410 II




IN GEBRUIK




TRANSPORT

NX (T)Z II




IN GEBRUIK





TRANSPORT



NX (T)Z II		
Afmetingen		
	Groote (mm)	Optie(s)
A	3450	
	4550	NXL2000
	5150	NXL2500
B	1450	
	2050	NXL2000, NXL2500
C	224	
	64	NXL2000
	364	NXL2500
D	320	
E	2650	
	3150	NXZB1200
	+192	NLXDIGIFL1
F	1000	
	950	NLXDIGIFL1
G	nvt.	
	nvt.	
H	1150	
I	1470	
	nvt.	
J	860	
K	1850	
	+135	NXL2000, NXL2500



NX (T)Z II



IN GEBRUIK



TRANSPORT